L Number	Hits	Search Text	DB	Time stamp
-	2278	709/225	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:05
-	3869	(709/217,219).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:06
-	3781	(709/203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:06
-	746	(709/102).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:07
-	354	(709/103).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:07
-	675	(709/104).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:07
-	453	(709/105).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:07
-	338	(709/225 or ((709/217,219).CCLS.) or ((709/203).CCLS.) or ((709/102).CCLS.) or ((709/103).CCLS.) or ((709/104).CCLS.) or ((709/105).CCLS.)) and (session adj (ID or identifier or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:13
-	0	((709/103).CCLS.) and (session adj (ID or identifier or number)) and (load$1balanc$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:11
-	1	((709/103).CCLS.) and (session adj (ID or identifier or number)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:11
-	4	(709/225 or ((709/217,219).CCLS.) or ((709/203).CCLS.) or ((709/102).CCLS.) or ((709/103).CCLS.) or ((709/104).CCLS.) or ((709/105).CCLS.)) and (session adj (ID or identifier or number)) and (load$1balanc$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:13
-	163	SSL and load$1balanc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 15:31

-	56	(SSL and load$1balanc$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:44
-	25	(SSL with ID) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:45
-	166	(SSL with session) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:45
-	5	(SSL with session adj ID) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:41
-	0	(SSL with session adj ID) same load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:55
-	1	(SSL with session adj ID) and load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:27
-	0	(SSL with session adj ID) same persistence and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:27
-	1	(session adj ID) with load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:32
-	0	(SSL adj4 context) same load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:33
-	0	(SSL adj4 context) and load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:33
-	2	(SSL with context) and load adj (balanc$3 or distribut$5) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:55
-	593	(dispatch$4 or distribut$4 or balanc$4) same (SSL or (secure adj socket adj layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:57
-	569	(dispatch$4 or distribut$4 or balanc$4) same (SSL or (secure adj socket adj layer) same session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:57

-	183	(dispatch$4 or distribut$4 or balanc$4) same (SSL or (secure adj socket adj layer))same session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 18:01
-	4	(dispatch$4 or distribut$4 or balanc$4) same (SSL or (secure adj socket adj layer))same session same (context or tunnel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:57
-	30	((dispatch$4 or distribut$4 or balanc$4) same (SSL or (secure adj socket adj layer))same session) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:39
-	7	((dispatch$4 or distribut$4 or balanc$4) same (tunnel with session)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:43
-	9	((dispatch$4 or distribut$4 or balanc$4) same (tunnel with map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:47
-	0	((dispatch$4 or distribut$4 or balanc$4) same (context with map$4 same tunnel) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:47
-	66	((dispatch$4 or distribut$4 or balanc$4) same (context with map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:49
-	9	((dispatch$4 or distribut$4 or balanc$4) same (context with address same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:51
-	0	((dispatch$4 or distribut$4 or balanc$4) same (tunnel same address same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:01
-	0	((dispatch$4 or distribut$4 or balanc$4) same (SSL adj context)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:53
-	0	((dispatch$4 or distribut$4 or balanc$4) same (SSL same tunnel same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:01
-	0	((dispatch$4 or distribut$4 or balanc$4) same (SSL same tunnel)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:53
-	137	((dispatch$4 or distribut$4 or balanc$4) same (SSL)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:53

-		8	((dispatch$4 or distribut$4 or balanc$4) same (SSL) and tunnel) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:53
-		0	((dispatch$4 or distribut$4 or balanc$4) and (SSL same tunnel same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:38
-		16	((dispatch$4 or distribut$4 or balanc$4) and (tunnel same address same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:01
-		3	((dispatch$4 or distribut$4 or balanc$4) and (SSL with map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:42
-		3	((web adj server) or (server adj farm)) same SSL same tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:42
-		49	((web adj server) or (server adj farm)) same SSL same map$4 and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:42
-		0	(SSL with session same tunnel same context) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:42
-		0	(SSL same session same tunnel same context) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:42
-		0	(SSL and session same tunnel same context) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:42
-		1098	((dispatch$4 or distribut$4 or balanc$4) and (server same connect$4 same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:42
-		172	((dispatch$4 or distribut$4 or balanc$4) same (server same connect$4 same map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:43
-		286	((dispatch$4 or distribut$4 or balanc$4) and (server with connect$4 with map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:43
-		48	((dispatch$4 or distribut$4 or balanc$4) same (server with connect$4 with map$4)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:35

-	142	Netscape.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:36
-	5	Netscape.asn. and secure adj socket adj layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:26
-	7	5657390.URPN. and (load adj (balancing or distributing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 16:30